

WEST Search History

Hide Items

Restore

Clear

Cancel

DATE: Monday, October 31, 2005

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
		<i>DB=USPT,EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L5	L4 and @pd<20020104	3
<input type="checkbox"/>	L4	Zingiber officinale near5 oil	10
<input type="checkbox"/>	L3	L2 and @pd<20020104	1
<input type="checkbox"/>	L2	L1 near9 (anti\$inflamm\$7 or analgesic or pain or anti\$arthritis\$5 or arthri\$5 or rheum\$5 or anti\$rheuma\$5)	5
<input type="checkbox"/>	L1	ginger oil	347

END OF SEARCH HISTORY

(FILE 'HOME' ENTERED AT 11:35:37 ON 31 OCT 2005)

FILE 'BIOSIS, MEDLINE, CAPLUS, CANCERLIT, LIFESCI, SCISEARCH' ENTERED AT
11:36:00 ON 31 OCT 2005

L1 138213 S SHARMA?/AU
L2 13 S L1 AND GINGER OIL
L3 3 DUP REM L2 (10 DUPLICATES REMOVED)

TITLE: Suppressive effects of eugenol and **ginger oil** on arthritic rats.
AUTHOR(S): **Sharma, Jagdish N.** [Reprint author]; Srivastava, Krishna C.; Gan, Ee K.
CORPORATE SOURCE: Dep. Pharmacol., Sch. Med. Sci., University Sci. Malaysia, 16150 Kubang Kerian Kelantan, Malaysia
SOURCE: Pharmacology (Basel), (1994) Vol. 49, No. 5, pp. 314-318.
CODEN: PHMGBN. ISSN: 0031-7012.
DOCUMENT TYPE: Article
LANGUAGE: English
ENTRY DATE: Entered STN: 8 Feb 1995
Last Updated on STN: 9 Feb 1995

AB This study examined the effect of eugenol and **ginger oil** on severe chronic adjuvant arthritis in rats. Severe arthritis was induced in the right knee and right paw of male Sprague-Dawley rats by injecting 0.05 ml of a fine suspension of dead Mycobacterium tuberculosis bacilli in liquid paraffin (5 mg/ml). Eugenol (33 mg/kg) and **ginger oil** (33 mg/kg), given orally for 26 days, caused a significant suppression of both paw and joint swelling. These findings suggest that eugenol and **ginger oil** have potent antiinflammatory and/or antirheumatic properties.